



BestCare™

Behavioral Healthcare and
Anti-Ligature Products



Introduction..... 1

Toilets and Urinals 2-3

Wash Basin4

Wash Basin Faucets and Soap Dish.....4

Shower5

Shower Heads and Handles5

Bathroom Accessories..... 6-7

Mirrors7

Grab Bars8

Fire Extinguisher Cabinet.....9



BestCare™ Behavioral Healthcare and Anti-Ligature Products

Whitehall's BestCare products are designed to meet the unique application challenges faced by behavioral healthcare facilities seeking to maintain the balance between patient safety and security. The BestCare family of products minimizes ligature points while being stylish and functional. All BestCare products are designed to ensure patient safety in specialized care environments.

The BestCare product family includes:

Toilets	Urinals
Wash Basin	Flush Valve Cover
Shower	Wash Basin Faucets
Shower Heads and Handles	Recessed Shelves
Soap Dish	Toilet Paper Holders
Towel and Clothing Hooks	Mirrors
Fire Extinguisher Cabinet	Grab Bars

Toilets and Urinals



Model No. 2142

Stainless steel siphon jet toilet:

The BestCare stainless steel toilet is designed to be wider behind the bowl, reducing potential ligature points. This on-floor, siphon jet toilet is constructed of 16 gage, 304 stainless steel. The exterior and bowl interior have a snow white Enviro-Glaze durable powder coating.

Available Products: (see submittal for more details)

- 2142W-2-EG10 (Wall Supply and Outlet, Enviro-Glaze)
- 2142W-3-EG10_4.25 (Wall Supply, Floor Outlet, Enviro-Glaze, 4.25" wall to floor waste)
- 2142W-3-EG10_10 (Wall Supply, Floor Outlet, Enviro-Glaze, 10" wall to floor waste)
- 2142W-3-EG10_12 (Wall Supply, Floor Outlet, Enviro-Glaze, 12" wall to floor waste)
- 2142T-2-EG10 (Top Supply, Wall Outlet, Enviro-Glaze)
- 2142T-3-EG10_4.25 (Top Supply, Floor Outlet, Enviro-Glaze, 4.25" wall to floor waste)
- 2142T-3-EG10_10 (Top Supply, Floor Outlet, Enviro-Glaze, 10" wall to floor waste)
- 2142T-3-EG10_12 (Top Supply, Floor Outlet, Enviro-Glaze, 12" wall to floor waste)

Model No. 1440

18-inch suicide-resistant combination basin and toilet for rear mount chase application:

This anti-ligature comby consists of a 14 gage, type 304 stainless steel cabinet with integral lavatory and toilet. The unit has no exposed components, making it safer for at-risk patients. The exterior and interior of the fixture have a snow white Enviro-Glaze durable powder coating.

Available Products: (see submittal for more details)

- 1440-AL-3-EG10 (Toilet Angled Left, Floor Outlet, Enviro-Glaze)
- 1440-AR-3-EG10 (Toilet Angled Right, Floor Outlet, Enviro-Glaze)
- 1440-CT-3-EG10 (Centered Toilet, Floor Outlet, Enviro-Glaze)





Model No. 2159

ADA Compliant Waterless Urinal:



This waterless urinal is designed to prevent ligature-related injuries by eliminating exposed components. This off-floor, front wall-mounted urinal is constructed from 18 gage, type 304 stainless steel with a 16 gage contour bowl. The exterior and interior of the fixture have a snow white Enviro-Glaze durable powder coating.

Available Products: (see submittal for more details)

- 2159-EB-EG10 (Enclosed Bottom, Enviro-Glaze)

Model No. 2802

Flush valve and cover:



The BestCare flush valve cover with sloping top is constructed of 16 gage, type 304 stainless steel. The unit is recommended for anti-ligature applications. The exterior cover has a snow white Enviro-Glaze durable powder coating. The flush valve has a cast bronze body, non-hold open metal pushbutton, union angle stop and vacuum breaker.

Available Products: (see submittal for details)

For Toilets:

- 2802-SLPT-EG10-1.6 (Sloping Top, Enviro-Glaze, 1.6 gallons per flush)
- 2802-SLPT-EG10-0.128 (Sloping Top, Enviro-Glaze, 1.28 gallons per flush)

For Urinals:

- 2802-SLPT-EG10-0.5 (Sloping Top, Enviro-Glaze, 0.5 gallons per flush)
- 2802-SLPT-EG10-.125 (Sloping Top, Enviro-Glaze, .125 gallons per flush)



Model No. 2158

ADA Compliant High-Efficiency Urinal:



This high-efficiency urinal is designed to eliminate ligature points by concealing the flush valve in the wall, increasing the safety for at-risk patients in behavioral facilities. The unit is constructed from 16 gage stainless steel and the exterior and bowl interior have a snow white Enviro-Glaze durable powder coating.

Available Products: (see submittal for details on product options)

- 2158W-SLPT-EB-EG10 (Wall Supply, Sloping Top, Enclosed Bottom, Enviro-Glaze)
- 2158T-EB-EG10 (Top Supply, Enclosed Bottom, Enviro-Glaze)



The Green cUPC logo is a registered trademark of IAPMO. Products with the Green cUPC logo meet the most up-to-date standards for green building and water efficiency.

Wash Basin



Model No. M3771

Curved Front Wash Basin:

This solid surface washbasin is 21-1/2" deep with integral "D" shaped bowl design. Includes a P-trap waste assembly, backsplash, anti-ligature side splash, -PBH hemispherical pushbutton and -BPH hemispherical bubbler.

Available Products: (see submittal for details)

- M3771-E501-1 (Off Floor, Wall Outlet)

Wash Basin Faucets for Retrofit Applications—Solid Surface or Vitreous China Basins



3373-PPZ

3374

Model No. 3373/3374

3373 Single Temp Faucet: (3374 Hot and Cold)

This centerset replacement is for existing faucets on 4" centers. The valve is available with 24VAC programmable Piezo buttons or remote air controlled activation buttons. (One of each type is shown above). Button and spout designs eliminate ligature points and are vandal-resistant. All exposed components are stainless steel or chrome plated brass and meet lead-free requirements. Actuation points feed to an under-lavatory valve assembly. Patent Pending.

Available products: (see submittal for product details)

- 3373 (Single Temp)
- 3373-PPZ (PIEZO Single Temp)
- 3374 (Hot and Cold)
- 3374-PPZ (PIEZO Hot and Cold)



Model No. 1832

Recessed Soap Dish

This tamper-resistant soap dish is constructed from type 304 stainless steel to provide a tight fit against the finished wall. The bottom surface features raised dimples that improve air circulation around the bar of soap.

Available Products: (see submittal for details)

- 1832-PF (Plaster Flanges)

Shower



1741-CSH-SRCH

1741-FH-CSH-SRCH

Model No. 1741

Anti-Ligature Shower:

This shower consists of a conical shower head, conical shower handle and stainless steel wall plate that is both suicide-resistant and vandal-resistant. This design eliminates exposed parts that could be used with ligatures to inflict self-harm. This shower has a snow white Enviro-Glaze finish.

Available products: (See submittal for product options)

- 1741-CSH-SRCH (Front Access, Conical Shower Head and Valve Handle)
- 1741-FH-CSH-SRCH (Front Access, Fixed, Conical Shower Head and Valve Handle)

Shower Heads and Handles



Model No. 538

Conical Shower Head, Handle, and Valve:

This anti-ligature shower head and handle/valve assembly have a conical design that prevents ligature-related injuries. The temperature/pressure balancing valve is ASSE 1016 Certified and includes a custom valve access panel.

Available products: (See submittal for product options)

- 538-CSH-SRCH (Conical Shower Head and Valve Handle)



Dual Shower Head and Handle:

These anti-ligature shower heads and handles have a conical design that prevents attachment of ligatures. The temperature/pressure balancing valve is ASSE 1016 Certified and includes a custom valve access panel.

- 538-FH-CSH-SRCH (Fixed, Conical Shower Head and Valve Handle)

Bathroom Accessories



1840

Model No. 1840

Recessed Toilet Paper Holder:

This toilet paper holder has a recessed design that eliminates ligature points, creating a safer environment for patients. This paper holder is 5" in diameter and 4-1/2" deep in order to match a standard roll of toilet paper.

Available products: (See submittal for product options)

- 1840FA (Front Access)
- 1840-1IN (1" Wall Thickness)
- 1840-8IN (8" Wall Thickness)
- 1840-12IN (12" Wall Thickness)



Model No. 1845 (front mount)

Auto-Release Toilet Paper Holder:

This toilet paper holder has an auto-release feature that improves safety for at-risk patients. Under a load greater than 40 lbs., the hooks are designed to release in order to prevent ligature-related injuries.

Available products: (See submittal for product options)

- 1845-FA (Front Access)
- 1845-1IN (1" Wall Thickness)
- 1845-8IN (8" Wall Thickness)
- 1845-12IN (12" Wall Thickness)



1820FA (front mount)

Model No. 1820

Recessed Shelf:

This recessed shelf is ideal for behavioral facilities because it is designed to prevent ligature-related self-harm. Exposed welds are ground smooth for a seamless appearance. This shelf is tall and deep enough to hold any item typically used in a bathroom. All exposed surfaces have a snow white Enviro-Glaze durable powder coating.

Available products: (See submittal for product options)

- 1820-8IN-EG10 (8" Wall Thickness, Enviro-Glaze)
- 1820-FA-EG10 (Front Access, Enviro-Glaze)



Patent Pending

1830-SLPT

Model No. 1829/1830

Towel/Clothing Hook:

This auto-release towel/clothing hook eliminates potential ligature points. This panel contains a single hook designed to auto-release under more than 40 lbs. of pressure. This unit is constructed from heavy gage stainless steel polished to a satin finish.

Available products: (See submittal for product options)

- 1829-SLPT-1IN (Sloped Top, 1" Wall Thickness)
- 1829-SLPT-8IN (Sloped Top, 8" Wall Thickness)
- 1829-SLPT-12IN (Sloped Top, 12" Wall Thickness)
- 1830-SLPT (Sloped Top)

Mirrors



Model 1811

Framed Security Mirror:

This front-mounted security mirror provides an added measure of safety for at-risk patient populations. The mirror frame has countersunk screw holes and is furnished with six 1/4" tamper-resistant screws. 13"x17".

The mirror frame has a snow white Enviro-Glaze durable powder coating.

Available products: (See submittal for product options)

- 1811-SLPT-EG10 (Sloped Top, Enviro-Glaze)

Model 1810

Framed Security Mirror:

This rear-mounted security mirror is designed to eliminate ligature points for the safety of your patients. The back of the frame is provided with special welded anchor nuts and is furnished with 1/4" studs, nuts and washers for indicated wall thickness. 13"x17". The mirror frame has a snow white Enviro-Glaze durable powder coating.

Available products: (See submittal for product options)

- 1810-SLPT-8IN-EG10 (Sloped Top, 8" Wall Thickness, Enviro-Glaze)

Model 1812 Handicapped Framed Security Mirror:



This rear-mounted security mirror is designed to eliminate ligature points for the safety of your patients. The length of the mirror has been increased to 20 inches long in order to better accommodate handicapped populations. 13"x23 3/8". The mirror frame has a snow white Enviro-Glaze durable powder coating.

Available products: (See submittal for product options)

- 1812-SLPT-8IN (Sloped Top, 8" Wall Thickness)
- 1812-SLPT-8IN-EG10 (Sloped Top, Enviro-Glaze)



Model 1817

Integral Frame Mirror:

The BestCare™ Integral Frame Mirror is designed for use in all areas where mirrors are subject to breakage and is designed to be safer for at-risk patients. Mirror and integral frame are die formed from a single sheet of high quality, type 400 stainless steel polished to a mirror finish. The frame has countersunk holes and is furnished with tamper-resistant screws.

Available Products: (see submittal for details)

- 1817-0001 (Anti-Ligature Mirror, 12"X22.5")



Grab Bars



Model No. 1109

Anti-Ligature Grab Bars:

Suicide-resistant grab bars feature 14 gage stainless steel closure plates welded to the bottom of the bar in order to impede users from inflicting ligature-related injuries.

Available products: (See submittal for product options)

- 1109-1 (24")
- 1109-2 (30")
- 1109-3L (left orientation, two-wall, 32"x18")
- 1109-3R (right orientation, two-wall, 18"x32")
- 1109-4 (36")
- 1109-5 (42")
- 1109-6 (48")



Model No. 1110

Anti-Ligature, ADA Compliant Grab Bars



This grab bar is constructed from 1-1/2" stainless steel tubing with a 14 gage stainless steel closure plate welded to the bottom of the bar to reduce potential ligature points. Exposed surfaces have a satin finish. A variety of lengths are available.

Available products: (See submittal for product options)

- 1110 (24")
- 1110 (30")
- 1110-3L (left orientation, two-wall, 32"x18")
- 1110-3R (right orientation, two-wall, 18"x32")
- 1110-4 (36")
- 1110-5 (42")
- 1110-6 (48")



Fire Extinguisher Cabinet



Model No. 1704-F

Recessed Series

Extinguisher Cabinet:

This recessed fire extinguisher cabinet has a 20 gage steel box and door and a white powder coated finish. Corners are mitered and ground smooth for improved safety in behavioral facilities. Heavy-duty continuous hinges and a flush solid metal door that can accommodate a security lock are provided.



WHITEHALL MANUFACTURING

Hospital and Rehabilitation Products

P.O. Box 3527 • City of Industry, CA 91744-0527 U.S.A.

Tel 800-782-7706 • 626-968-6681 • Fax 626-855-4862

www.whitehallmfg.com



MORRIS GROUP INTERNATIONAL

www.morrisgroup.co

Innovative Spirit and Engineering Foundation

“What sets us apart from competitors is our engineering and spirit. We have a can-do’ spirit. If you ask us to do something, we will do it or figure out how to do it. That’s the part our customers like, that’s the part we like.”

- Don Morris, President and CEO

MORRIS GROUP INTERNATIONAL



Since 1954

ACORN ENGINEERING COMPANY

Engineered Plumbing Products

P.O. Box 3527 • City of Industry, CA 91744-0527 U.S.A.

800-488-8999 • 626-336-4561 • Fax 626-961-2200

www.acorneng.com



ACORN-GENCON PLASTICS, LLC

Injection Molded Products

13818 Oaks Avenue • Chino, CA 91710 U.S.A.

Tel 909-591-8461 • Fax 909-628-7465

www.acorn-gencon.com



ACORNVAC, INC.

Vacuum Plumbing Systems

13818 Oaks Avenue, Chino, CA 91710

Tel. 800-591-9920 • Tel. 909-902-1141 • Fax: 909-902-5041

www.acornvac.com



CHRONOMITE LABORATORIES, INC.

Tankless Electric Water Heaters

P.O. Box 3527 • City of Industry, CA 91744-0527 U.S.A.

Tel 800-447-4962 • Fax 626-937-4279

www.chronomite.com



ELMCO GROUP

Manufacturer Representatives

P.O. Box 3787, City of Industry, CA 91744

Tel 626-333-9942 • Fax 626-961-3813

www.morrisgroup.co



JAY R. SMITH MFG. CO.®

Plumbing and Drainage Products

P.O. Box 3237 • Montgomery, AL 36109-0237

Tel 800-467-6484 • 334-277-8520 • Fax 334-272-7396

www.jrsmith.com



MORRIS INDUSTRIES MEXICO, S. DE R.L. DE C.V.

Central and Latin America Manufacturing and Sales

Maquiladoras #1387-1 Col.Cd. Industrial Tijuana, B.C., C.P. 22444

Tel 011-52-664-623-4580 • Fax 011-52-664-623-4590

www.morrisgroup.co



MORRIS PROPERTY MANAGEMENT COMPANY

Construction, Interior Design, Landscaping and Maintenance

15058 Proctor Avenue • City of Industry, CA 91746

Tel 626-855-4888 • Fax 626-855-4864

www.morrispropertiesmgt.com



MURDOCK MANUFACTURING

Drinking Fountains and Hydrants

P.O. Box 3527 • City of Industry, CA 91744-0527 U.S.A.

Tel 800-45-DRINK • 626-333-2543 • Fax 626-855-4860

www.murdockmfg.com



POTTER ROEMER

Fire Protection Equipment

P.O. Box 3527 • City of Industry, CA 91744-0527 U.S.A.

Tel 800-366-3473 • Fax 626-937-4777

www.potterroemer.com